



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/624,166	07/21/2003	Harri Lakkala	KOLS.044PA	6358

7590 01/12/2006

Hollingsworth & Funk, LLC
Suite 125
8009 34th Avenue South
Minneapolis, MN 55425

EXAMINER

ADDY, ANTHONY S

ART UNIT	PAPER NUMBER
----------	--------------

2681

DATE MAILED: 01/12/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/624,166

Applicant(s)

LAKKALA, HARRI

Examiner

Anthony S. Addy

Art Unit

2681

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 October 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-37 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-37 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 07/21/2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

1. This action is in response to applicant's amendment filed on October 20, 2005.

Claims 1-37 are pending in the present application.

Response to Arguments

2. Applicant's arguments with respect to claims 1-37 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Sakai et al., U.S. Publication Number 2003/0100295 A1 (hereinafter Sakai)** and further in view of **Skinner et al., U.S. Patent Number 6,529,737 (hereinafter Skinner)**.

Regarding claims 1 and 9, Sakai teaches a subscriber terminal for a radio system (see paragraph 0063, line 1 through paragraph 0064, line 4 and Figures 1 & 9), comprising: a transceiver configured to receive calls and messages (see paragraph 0084, lines 1-14 and Fig. 1; where a reception unit 3, transmission unit 4 and duplexer 2 constituting a transceiver are shown); a control unit connected to the transceiver configured to save unanswered call data relating to unanswered calls, and to constitute

Art Unit: 2681

contact attempts from the unanswered call data relating to the unanswered calls (see paragraph 0086, line 1 through paragraph 0087, line 10, paragraph 0092, line 1-20 [i.e. the caller information reads on an unanswered call data, since Sakai teaches the caller information includes ID information of the caller and the caller information is stored in a storage unit as a missed calls list] and Fig. 10; where CPU 5 is shown coupled to reception unit 3 and transmission unit 4); and a user interface connected to the control unit configured to present the contact attempts (see paragraph 0091, lines 1-4 and Fig. 1; where a display unit 9, speaker 6 and microphone 7 constituting a user interface are shown connected to CPU 5).

Sakai fails to explicitly teach a control unit configured to save messages relating to unanswered calls to constitute contact attempts from the messages relating to unanswered calls, and wherein the message comprises a text message.

Skinner, however, teaches an apparatus and method for enabling the originator of a telephone call to send a customized message or signal to an unavailable telephony subscriber, wherein the originator can form a customized short message including the originator's telephone number to be sent to the subscriber's telephone (see col. 3, line 61 through col. 4, line 34). According to Skinner, if for instance the subscriber is screening calls due to an insufficient identification of the originator, by using the short message service, the originator is then able to customize a message that is sent to the subscriber and once the message is displayed to the subscriber, the subscriber can then decide whether to accept the call from the originator or respond at a later time (see col. 4, line 35 through col. 5, line 16 and col. 2, line 57 through col. 3, line 7).

It would therefore have been obvious to one of ordinary skill in the art at the time of the invention to modify Sakai with Skinner to include a control unit configured save messages relating to unanswered calls to constitute contact attempts from the messages relating to unanswered calls, and wherein the message comprises a text message, in order to enable a subscriber screening calls due to an insufficient identification of an originator or an unavailable subscriber to decide whether to accept a call from an originator or respond at a later time as per the teachings of Skinner (see col. 4, line 35 through col. 5, line 16).

Regarding claim 2, Sakai in view of Skinner teaches all the limitations of claim 1. Sakai in view of Skinner further teaches (as taught by Skinner), wherein for the constitution of the contact attempts the control unit is configured to combine together such unanswered call data and such a message relating to an unanswered call which both refer to the same caller (see col. 2, lines 57 through col. 3, line 2, and col. 4, lines 18-34).

Regarding claim 3, Sakai in view of Skinner teaches all the limitations of claim 2. Sakai in view of Skinner further teaches (as taught by Skinner), wherein the control unit is configured to find a reference to the same caller if both the unanswered call data and the message relating to the unanswered call both contain the same caller identifier (see col. 2, lines 57 through col. 3, line 2, and col. 4, lines 18-34).

Regarding claims 10 and 18, Sakai teaches an arrangement for presenting contact attempts to a subscriber of a radio system (see paragraph 0063, line 1 through paragraph 0064, line 4 and Figures 1 & 9), comprising: receiving means for receiving

Art Unit: 2681

calls and messages (see paragraph 0084, lines 1-14 and Fig. 1; where a reception unit 3, antenna 1 and duplexer 2 constituting receiving means are shown); saving means for saving unanswered call data relating to unanswered calls (see paragraph 0092, lines 1-6 and Fig. 1; where a storage unit 8 is shown for storing information, such as a missed call lists [i.e. the caller information reads on an unanswered call data, since Sakai teaches the caller information includes ID information of the caller and the caller information is stored in a storage unit as a missed calls list]); constituting means for constituting contact attempts from the unanswered call data relating to the unanswered calls (see paragraph 0028, lines 1-10, paragraph 0092, lines 1-15 and Figures 5 & 11); and presenting means for presenting the contact attempts (see paragraph 0091, lines 1-4, paragraph 0099, lines 1-11, Fig. 1; where a display unit 9 for displaying caller information is shown and Fig. 4; showing a missed call screen as presented on display unit 9).

Sakai fails to explicitly teach saving messages relating to unanswered calls constituting contact attempts from the messages relating to the unanswered calls, and wherein the message comprises a text message.

Skinner, however, teaches an apparatus and method for enabling the originator of a telephone call to send a customized message or signal to an unavailable telephony subscriber, wherein the originator can form a customized short message including the originator's telephone number to be sent to the subscriber's telephone (see col. 3, line 61 through col. 4, line 34). According to Skinner, if for instance the subscriber is screening calls due to an insufficient identification of the originator, by using the short

Art Unit: 2681

message service, the originator is then able to customize a message that is sent to the subscriber and once the message is displayed to the subscriber, the subscriber can then decide whether to accept the call from the originator or respond at a later time (see col. 4, line 35 through col. 5, line 16 and col. 2, line 57 through col. 3, line 7).

It would therefore have been obvious to one of ordinary skill in the art at the time of the invention to modify Sakai with Skinner to include saving messages relating to unanswered calls constituting contact attempts from the messages relating to the unanswered calls, and wherein the message comprises a text message, in order to enable a subscriber screening calls due to an insufficient identification of an originator or an unavailable subscriber to decide whether to accept a call from an originator or respond at a later time as per the teachings of Skinner (see col. 4, line 35 through col. 5, line 16).

Regarding claim 11, Sakai in view of Skinner teaches all the limitations of claim 10. Sakai in view of Skinner further teaches (as taught by Skinner), wherein for the constitution of the contact attempts the control unit is configured to combine together such unanswered call data and such a message relating to an unanswered call which both refer to the same caller (see col. 2, lines 57 through col. 3, line 2, and col. 4, lines 18-34).

Regarding claim 12, Sakai in view of Skinner teaches all the limitations of claim 11. Sakai in view of Skinner further teaches (as taught by Skinner), wherein the control unit is configured to find a reference to the same caller if both the unanswered call data

and the message relating to the unanswered call both contain the same caller identifier (see col. 2, lines 57 through col. 3, line 2, and col. 4, lines 18-34).

Regarding claims 19, 27, 28 and 36, Sakai teaches a computer program distribution medium readable by a computer and encoding a computer program of instructions for executing a computer process and a method for presenting contact attempts to a subscriber terminal of a radio system (see paragraph 0005, lines 1-15, paragraph 0086, line 1 through paragraph 0087, line 10 and Figures 4 & 10), comprising: receiving calls and messages (see paragraph 0084, lines 1-10 and paragraph 6-11 and Figures 4 & 6-8); saving unanswered call data relating to unanswered calls (see paragraph 0092, lines 1-6 and Fig. 1; where a storage unit 8 is shown for storing information, such as a missed call lists); constituting contact attempts from the unanswered call data relating to the unanswered calls (see paragraph 0028, lines 1-10, paragraph 0092, lines 1-15 and Figures 5 & 11); and presenting the contact attempts with a user interface of the subscriber terminal (see paragraph 0091, lines 1-4, paragraph 0099, lines 1-11, and Fig. 4; shows a missed call screen as presented on display unit 9).

Sakai fails to explicitly teach saving messages relating to unanswered calls, constituting contact attempts from the messages relating to the unanswered calls, wherein the message comprises a text message.

Skinner, however, teaches an apparatus and method for enabling the originator of a telephone call to send a customized message or signal to an unavailable telephony subscriber, wherein the originator can form a customized short message including the

originator's telephone number to be sent to the subscriber's telephone (see col. 3, line 61 through col. 4, line 34). According to Skinner, if for instance the subscriber is screening calls due to an insufficient identification of the originator, by using the short message service, the originator is then able to customize a message that is sent to the subscriber and once the message is displayed to the subscriber, the subscriber can then decide whether to accept the call from the originator or respond at a later time (see col. 4, line 35 through col. 5, line 16 and col. 2, line 57 through col. 3, line 7).

It would therefore have been obvious to one of ordinary skill in the art at the time of the invention to modify Sakai with Skinner to include teach saving messages relating to unanswered calls, constituting contact attempts from the messages relating to the unanswered calls, wherein the message comprises a text message, in order to enable a subscriber screening calls due to an insufficient identification of an originator or an unavailable subscriber to decide whether to accept a call from an originator or respond at a later time as per the teachings of Skinner (see col. 4, line 35 through col. 5, line 16).

Regarding claims 20 and 29, Sakai in view of Skinner teaches all the limitations of claims 19 and 28. Sakai in view of Skinner further teaches (as taught by Skinner), wherein for the constitution of the contact attempts the control unit is configured to combine together such unanswered call data and such a message relating to an unanswered call which both refer to the same caller (see col. 2, lines 57 through col. 3, line 2, and col. 4, lines 18-34).

Regarding claims 21 and 30, Sakai in view of Skinner teaches all the limitations of claims 20 and 29. Sakai in view of Skinner further teaches (as taught by Skinner),

wherein the control unit is configured to find a reference to the same caller if both the unanswered call data and the message relating to the unanswered call both contain the same caller identifier (see col. 2, lines 57 through col. 3, line 2, and col. 4, lines 18-34).

Regarding claims 4,13, 22 and 31, Sakai in view of Skinner teaches all the limitations of claims 1,10, 19 and 28. In addition, Sakai teaches a subscriber terminal, program, method and arrangement, wherein the control unit is configured to display in the user interface the contact attempts as a list of contact attempts (see paragraph 0143, lines 6-13, paragraph 0159, lines 3-8, paragraph 0011, lines 1-15, Figures 4 & 8; see screen 44 and Fig. 11).

Regarding claims 5,14, 23 and 32, Sakai in view of Skinner teaches all the limitations of claims 4,13, 22 and 31. In addition, Sakai teaches a subscriber terminal, program, method and arrangement, wherein the control unit is configured to display the list of contact attempts as a list of callers (see paragraph 0143, lines 6-13, paragraph 0159, lines 3-8, paragraph 0011, lines 1-15, Figures 4 & 8; see screen 44 and Fig. 11).

Regarding claims 6,15, 24 and 33, Sakai in view of Skinner teaches all the limitations of claims 1,10, 19 and 28. In addition, Sakai teaches a subscriber terminal, program, method and arrangement, wherein the control unit is configured to receive a selection regarding a contact attempt from the user interface and to display the selected contact attempt in more detail in the user interface (see paragraph 0169, lines 1-11, paragraph 0157, lines 1-8, paragraph 0160, lines 1-7 and Fig. 8).

Regarding claims 7,16, 25 and 34, Sakai in view of Skinner teaches all the limitations of claims 1,10, 19 and 28. In addition, Sakai teaches a subscriber terminal,

program, method and arrangement, wherein the control unit is configured to fetch a name of the caller present in the contact attempts from a phonebook and to display the name of the caller in the user interface (see paragraph 0160, lines 1-7, paragraph 0086, lines 1-9 and Fig. 8).

Regarding claims 8,17, 26 and 35, Sakai in view of Skinner teaches all the limitations of claims 1,10, 19 and 28. In addition, Sakai teaches a subscriber terminal, program, method and arrangement, wherein the control unit is configured to display in the user interface a selection mechanism, which, when selected, makes a contact to a caller of the selected contact attempt (see paragraph 0160, lines 1-7 and Fig. 8).

Regarding claim 37, Sakai in view of Skinner teaches all the limitations of claim 28. In addition, Sakai teaches a computer distribution medium, the distribution medium comprising a computer readable medium, a program storage medium, a record medium, a computer readable memory, a computer readable software distribution package, a computer readable telecommunication signal, and a computer readable compressed software package (see paragraph 0005, lines 1-15 and Fig. 10).

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Lee, U.S. Publication Number 2005/0085274 A1 discloses method for displaying call record list in wireless telecommunication terminal.


Oota, U.S. Publication Number 2003/0176205 A1 discloses mobile communication terminal with unanswered incoming-call notifying function.

Cannell et al., U.S. Patent Number 6,741,678 discloses method and system for sending a data response from a called phone to a calling phone.


6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony S. Addy whose telephone number is 571-272-7795. The examiner can normally be reached on Mon-Thur 8:00am-6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph H. Feild can be reached on 571-272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Anthony S. Addy
December 30, 2005



JEMICA BEAMER
PRIMARY EXAMINER
1/6/06